


PRODUCT DESCRIPTION

- Possible to obtain a line of light
- Concealed aluminum elements
- The extrusion does not interfere with a structure made of 5/8 inch (about 16mm) thick drywall
- Designed to reach an IP65 waterproof rating

FINISH :

Non anodized (raw) 



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- to create a line of light flush with the surface of walls and ceilings

Mounting

- fixed in the groove with mounting adhesive
- extrusion fastening wings covered with gypsum plaster
- the protective insert TECH-50 ensures that the extrusion slot remains wide enough for the snap-in cover (its use is necessary during mounting and finishing works)

Additional information


- designed for up to four (0.39" / 10mm) wide LED strips
- line of light obtainable with the LIGER-50 cover and LED strips with a minimum of (36 LED/ft. / 120 LED/m)
- the cover is evenly illuminated with four LED strips, with fewer strips shadows appear on the cover
- the KOZUS-50 extrusion is equipped with ZM sockets (ZM Connectors are used to connect extrusions lengthwise, they are easily accessible even after mounting the extrusion in the ceiling)
- the groove cut out in the drywall to accommodate the extrusion should be (2.0"-2.2" / 51mm-56mm) wide

Possibility of making a linear fixture with IP65 protection, which means the fixture is dustproof and waterproof in contact with water jets.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C0958NA_1	Non anodized (raw)	39.4"
C0958NA_2	Non anodized (raw)	78.75"


TECHNICAL DRAWING



RELATED PRODUCTS


COVERS

BLACK



LIGER-50 black
Cover
Ref: 17089


FROSTED COVERS



LIGER-50 frosted
Cover
Ref: 17086

END CAPS

REGULAR END CAPS




KOZUS-50 grey
End cap
Ref: 24282

ACCESSORIES


COMPONENTS FOR CONNECTING FIXTURES




ZM-NA-180
Connector
Ref: 42724




ZM-NA-PION-90
Connector
Ref: 42726




ZM-NA-90
Connector
Ref: 42723




ZM-NA-120
Connector
Ref: 42729



ZM-NA-135
Connector
Ref: 42725



ZM-NA-45
Connector
Ref: 42339




ZM-NA-PION-120
Connector
Ref: 42321



ZM-NA-PION-60
Connector
Ref: 42317



ZM-NA-PION-45
Connector
Ref: 42315



TECH-50
protective insert
/ Installation
Cover
Ref: 17125