


## Be Slim and Flexible

Simple design, simple install steps, in the form the most simple thin slim track, can easily achieve whatever you want modeling, horizontal angle, the angle with corresponding corner can control direction, from ceiling to the wall track go with your heart and can be a good match of interior design stytles, bringing a different aesthetic to the space, the track can be cut according to site conditions, with great flexibility to meet any project needs.

## Track Standard Specification Surface Mount 3000mm 1000mm 2000mm Recessed Mount 19 Pre-buried Mount 15.5 Round Hanging Mount







Surface Mount color:black Model:MT15-SSS



A Horizontal Corner of Surface Mount



B Horizontal Corner Energized connector

color:black Model:AS15-JT04

Model : CN15-SSSHO

Inner corner Of
Surface Mount

color:black

Model: CN15-SSSIN



Flexible Energized connector

color:black Model:AS15-JT03



Pre-buried Mount Black color:black Model:MT15-SPS



Horizontal Comer Of Pre-buried Track





B Horizontal Corner Energized connector

> color:black Model:AS15-JT04



Inner Corner Of Pre-buried Track

color:black Model:CN15-SPSIN



Flexible Energized connector

color:black Model:AS15-JT03

★The Splicing Method Recessed Track Is The Same As Pre-buried Track, when Splicing. The Corresponding Accessories Can Be Steated According To Their Marks.



Recessed Mount Black color:black Model:MT15-STS



Horizontal Corner
Of recessed track

color: black Model : CN15-STSHO



B Horizontal Corner Energized connector

> color:black Model:AS15-JT04



Inner Corner Of recessed track

color: black Model : CN15-STSIN



Flexible Energized connector

color:black Model:AS15-JT03







Round Suspended Track Color: black Model: MT15-RSS



A Horizontal Comer Of Round Suspended Track

> Color:black Model:CN15-RSSHO



B Horizontal Corner Energized connector

> Color:black Model:AS15-JT04