

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.



Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Functionality & accessories	Page 3
5. Recommended use & installation height	Page 3
6. Installation	Page 4
7. Photometric data and technical information	Page 4
8. Ordering codes	Page 5
9. Certifications & standards	Page 20
10. Maintenance & Cleaning	Page 20

Versions:



Individual
Page 5



Individual S-M-L
Page 7



Multiple linear
Page 13



Multiple round
Page 17

Belt


suspension lamp

1. Product overview

Suspension lamp featuring a metal body, textile cable, optional metal and glass shades. Acrylic (PMMA) lens diffuser, and integrated LED. The metal and glass shades can be arranged in multiple positions and combinations, allowing for customizable designs and light effects. The metal shade comes in three sizes and can be mounted facing up or down during installation. Adjustable height. Individual or multiple canopy, suitable for creating various compositions.



2. Finishes and Materials



Glass Shade: White Opal

Body/Metal Shade: 89 Pale Green
94 Champagne
96 Anthracite

Recessed Canopy: 74 White

Surface Canopy: 89 Pale Green
94 Champagne
96 Anthracite

Textile Cable: Grey (Green & Champagne finishes)
Black (Anthracite finish)

We offer custom plated or RAL finishes and shades.

3. Light Source & Dimming

Lamping per head (with glass shade)

LED 6,2W (Ang. 70° / >90 CRI / 350mA) 230V

2700K / Typ* 725 lumens

3000K / Typ* 763 lumens

*Integrated LED module (included).

Lamping per head (without glass shade)

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V

2700K / Typ* 725 lumens

3000K / Typ* 763 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC

Optional: DALI, CASAMBI


Belt

suspension lamp

4. Functionality & Accessories

Possibility to create different compositions. Versions and sizes available for projects. Consult our offices.

Flexibility / Possible Shapes:




Vegetation kit with artificial greenery. Not waterproof. Suitable for pendant with large metal shade (450 mm) .



5. Recommended use & Installation height

Suitable for general lighting, as well as for direct illumination above dining tables, countertops, bars, or desks.

We **recommend positioning** the light source approximately **85 cm above the surface**. For more accurate information, refer to the photometric report.



Belt

suspension lamp

6. Installation

Single canopy

Surface



Recessed with remote driver



Ø 45 mm drill in dropped ceiling

Clusters

Linear



Round





7. Photometric Data and Technical Information



Photometric data corresponds to the output of each individual lamp.
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



Acrylic lens,
metal shade up



Acrylic lens,
metal shade down



Acrylic lens, metal shade
up, with glass



Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4144S / 4144R

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite

Recessed Canopy:
74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4144S 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4144S_8989W	BEL_4144S_8989M
		Champagne	Champagne	BEL_4144S_9494W	BEL_4144S_9494M
		Anthracite	Anthracite	BEL_4144S_9696W	BEL_4144S_9696M
BEL_4144R 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4144R_7489W	BEL_4144R_7489M
		White	Champagne	BEL_4144R_7494W	BEL_4144R_7494M
		White	Anthracite	BEL_4144R_7496W	BEL_4144R_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4144SG / 4144RG

LED 6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite

Recessed Canopy:

74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4144SG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4144SG_8989W	BEL_4144SG_8989M
		Champagne	Champagne	BEL_4144SG_9494W	BEL_4144SG_9494M
		Anthracite	Anthracite	BEL_4144SG_9696W	BEL_4144SG_9696M
BEL_4144RG 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4144RG_7489W	BEL_4144RG_7489M
		White	Champagne	BEL_4144RG_7494W	BEL_4144RG_7494M
		White	Anthracite	BEL_4144RG_7496W	BEL_4144RG_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SS / 4145RS

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite

Recessed Canopy:
74 White

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SS 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SS_8989W	BEL_4145SS_8989M
		Champagne	Champagne	BEL_4145SS_9494W	BEL_4145SS_9494M
		Anthracite	Anthracite	BEL_4145SS_9696W	BEL_4145SS_9696M
BEL_4145RS 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RS_7489W	BEL_4145RS_7489M
		White	Champagne	BEL_4145RS_7494W	BEL_4145RS_7494M
		White	Anthracite	BEL_4145RS_7496W	BEL_4145RS_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SSG / 4145RSG

LED 6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite

Recessed Canopy:

74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SSG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SSG_8989W	BEL_4145SSG_8989M
		Champagne	Champagne	BEL_4145SSG_9494W	BEL_4145SSG_9494M
		Anthracite	Anthracite	BEL_4145SSG_9696W	BEL_4145SSG_9696M
BEL_4145RSG 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RSG_7489W	BEL_4145RSG_7489M
		White	Champagne	BEL_4145RSG_7494W	BEL_4145RSG_7494M
		White	Anthracite	BEL_4145RSG_7496W	BEL_4145RSG_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SM / 4145RM

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite

Recessed Canopy:
74 White

Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SM 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SM_8989W	BEL_4145SM_8989M
		Champagne	Champagne	BEL_4145SM_9494W	BEL_4145SM_9494M
		Anthracite	Anthracite	BEL_4145SM_9696W	BEL_4145SM_9696M
BEL_4145RM 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RM_7489W	BEL_4145RM_7489M
		White	Champagne	BEL_4145RM_7494W	BEL_4145RM_7494M
		White	Anthracite	BEL_4145RM_7496W	BEL_4145RM_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SMG / 4145RMG

LED 6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite

Recessed Canopy:

74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SMG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SMG_8989W	BEL_4145SMG_8989M
		Champagne	Champagne	BEL_4145SMG_9494W	BEL_4145SMG_9494M
		Anthracite	Anthracite	BEL_4145SMG_9696W	BEL_4145SMG_9696M
BEL_4145RMG 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RMG_7489W	BEL_4145RMG_7489M
		White	Champagne	BEL_4145RMG_7494W	BEL_4145RMG_7494M
		White	Anthracite	BEL_4145RMG_7496W	BEL_4145RMG_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SL / 4145RL

LED 6,2W (Ang. 60° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Accessory available: Vegetation KIT

Finishes

Surface Canopy:

89 Pale Green
94 Champagne
96 Anthracite

Body:

89 Pale Green
94 Champagne
96 Anthracite

Recessed Canopy:

74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SL 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SL_8989W	BEL_4145SL_8989M
		Champagne	Champagne	BEL_4145SL_9494W	BEL_4145SL_9494M
		Anthracite	Anthracite	BEL_4145SL_9696W	BEL_4145SL_9696M
BEL_4145RL 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RL_7489W	BEL_4145RL_7489M
		White	Champagne	BEL_4145RL_7494W	BEL_4145RL_7494M
		White	Anthracite	BEL_4145RL_7496W	BEL_4145RL_7496M

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping 4145SLG / 4145RLG

LED 6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 725 lumens
3000K / Typ* 763 lumens

Canopy: Single

DIM: TRIAC (Optional DALI, CASAMBI)

Accessory available: Vegetation KIT

Finishes

Surface Canopy:

89 Pale Green

94 Champagne

96 Anthracite

Body:

89 Pale Green

94 Champagne

96 Anthracite

Recessed Canopy:

74 White



Drawing	Mounting	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_4145SLG 	Surface mounted. Driver in the canopy.	Pale Green	Pale Green	BEL_4145SLG_8989W	BEL_4145SLG_8989M
		Champagne	Champagne	BEL_4145SLG_9494W	BEL_4145SLG_9494M
		Anthracite	Anthracite	BEL_4145SLG_9696W	BEL_4145SLG_9696M
BEL_4145RLG 	Recessed, Remote driver Ø 50 mm drill	White	Pale Green	BEL_4145RLG_7489W	BEL_4145RLG_7489M
		White	Champagne	BEL_4145RLG_7494W	BEL_4145RLG_7494M
		White	Anthracite	BEL_4145RLG_7496W	BEL_4145RLG_7496M

Belt

suspension lamp



Configurator.estiluz.com
 Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L73S3SG
 LED 3x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
 2700K / Typ* 3x725 lumens
 3000K / Typ* 3x763 lumens

Canopy: Multiple Linear Surface


DIM: TRIAC (Optional DALI, CASAMBI)

Finishes
 Surface Canopy: Body:
 89 Pale Green 89 Pale Green
 94 Champagne 94 Champagne
 96 Anthracite 96 Anthracite
 74 White

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_L73S3SG 	Pale Green	Pale Green	BEL_L73S3SG_8989W	BEL_L73S3SG_8989M
	Champagne	Champagne	BEL_L73S3SG_9494W	BEL_L73S3SG_9494M
	Anthracite	Anthracite	BEL_L73S3SG_9696W	BEL_L73S3SG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L73S2MG

LED 2x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 2x725 lumens
3000K / Typ* 2x763 lumens

Canopy: Multiple Linear Surface

DIM: TRIAC (Optional DALI, CASAMBI)


Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_L73S2MG 	Pale Green	Pale Green	BEL_L73S2MG_8989W	BEL_L73S2MG_8989M
	Champagne	Champagne	BEL_L73S2MG_9494W	BEL_L73S2MG_9494M
	Anthracite	Anthracite	BEL_L73S2MG_9696W	BEL_L73S2MG_9696M
	White	Multicolor	Upon request	Upon request
	Anthracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L92S3MG

LED 3x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 3x725 lumens
3000K / Typ* 3x763 lumens

Canopy: Multiple Linear Surface

DIM: TRIAC (Optional DALI, CASAMBI)


Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_L92S3MG 	Pale Green	Pale Green	BEL_L92S3MG_8989W	BEL_L92S3MG_8989M
	Champagne	Champagne	BEL_L92S3MG_9494W	BEL_L92S3MG_9494M
	Anthracite	Anthracite	BEL_L92S3MG_9696W	BEL_L92S3MG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping L165S1G2SG1MG1L1LG

LED 6x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 6x725 lumens
3000K / Typ* 6x763 lumens

Canopy: Multiple Linear Surface

DIM: TRIAC (Optional DALI, CASAMBI)


Finishes

Surface Canopy:
89 Pale Green
94 Champagne
96 Anthracite
74 White

Body:
89 Pale Green
94 Champagne
96 Anthracite

Drawing


BEL_L165S1G2SG1MG1L1LG



Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
Pale Green	Pale Green	BEL_L165S1G2SG1MG1L1LG_8989W	BEL_L165S1G2SG1MG1L1LG_8989M
Champagne	Champagne	BEL_L165S1G2SG1MG1L1LG_9494W	BEL_L165S1G2SG1MG1L1LG_9494M
Anthracite	Anthracite	BEL_L165S1G2SG1MG1L1LG_9696W	BEL_L165S1G2SG1MG1L1LG_9696M
White	Multicolor	Upon request	Upon request
Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R40S3G

LED 3x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 3x725 lumens
3000K / Typ* 3x763 lumens

Canopy: Multiple Round Surface

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_R40S3G	Pale Green	Pale Green	BEL_R40S3G_8989W	BEL_R40S3G_8989M
	Champagne	Champagne	BEL_R40S3G_9494W	BEL_R40S3G_9494M
	Anthracite	Anthracite	BEL_R40S3G_9696W	BEL_R40S3G_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R40S2SG1MG

LED 3x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 3x725 lumens
3000K / Typ* 3x763 lumens

Canopy: Multiple Round Surface

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes

Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing	Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
BEL_R40S2SG1MG max 3500 mm max 137.3/4" ø 400 mm ø 15.3/8" 51 mm 2" ø 250 mm ø 9.7/8" ø 35 mm ø 13.3/4" ø 465 mm ø 18.1/4" ø 441 mm ø 17.3/8"	Pale Green	Pale Green	BEL_R40S2SG1MG_8989W	BEL_R40S2SG1MG_8989M
	Champagne	Champagne	BEL_R40S2SG1MG_9494W	BEL_R40S2SG1MG_9494M
	Anthracite	Anthracite	BEL_R40S2SG1MG_9696W	BEL_R40S2SG1MG_9696M
	White	Multicolor	Upon request	Upon request
	Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp



Configurator.estiluz.com
Customize your creation with our configurator, preview it in a virtual room and augmented reality.

8. Ordering Codes

Lamping R70S1M2MG1L2LG
LED 6x6,2W (Ang. 70° / >90 CRI / 350mA) 230V
2700K / Typ* 6x725 lumens
3000K / Typ* 6x763 lumens


Canopy: Multiple Round Surface

DIM: TRIAC (Optional DALI, CASAMBI)

Finishes	
Surface Canopy:	Body:
89 Pale Green	89 Pale Green
94 Champagne	94 Champagne
96 Anthracite	96 Anthracite
74 White	

Drawing

BEL_R70S1M2MG1L2LG




Finish Canopy	Finish Body	Ordering Code 2700K	Ordering Code 3000K
Pale Green	Pale Green	BEL_R70S1M2MG1L2LG_8989W	BEL_R70S1M2MG1L2LG_8989M
Champagne	Champagne	BEL_R70S1M2MG1L2LG_9494W	BEL_R70S1M2MG1L2LG_9494M
Anthracite	Anthracite	BEL_R70S1M2MG1L2LG_9696W	BEL_R70S1M2MG1L2LG_9696M
White	Multicolor	Upon request	Upon request
Antracite	Multicolor	Upon request	Upon request

Belt

suspension lamp

9. Certifications & Standards



Warranty: 2 years

100% made in Spain

10. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.