
Loop

wall light



Table of contents

1. Product overview	Page 2
2. Finishes and materials	Page 2
3. Light Source & dimming	Page 2
4. Photometric data and technical information	Page 3
5. Ordering codes	Page 3
6. Certifications & standards	Page 4
7. Maintenance & Cleaning	Page 4

Versions



4120
Page 3

Loop

wall light

1. Product overview

Wall light with a bent tubular metal structure and integrated dimmable LED. The opal glass sphere provides soft, uniform light diffusion. Can be installed with the glass sphere facing upward or downward, depending on project requirements.



2. Finishes and Materials



Shade: White Opal Glass

Body: 20 Metallic Gold
26 Black

3. Light Source & Dimming

Lamping

LED 6W (2700K / Ang. 120° / >90 CRI / 24V)
230V / Typ* 1026 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC

Optional: DALI, CASAMBI


Loop

wall light

4. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp.
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



5. Ordering Codes

Lamping

LED 6W (2700K / Ang. 120° / >90 CRI / 24V)

230V / Typ* 1026 lumens

*Integrated LED module (included).

Dimming options:

Standard: TRIAC


Optional: DALI, CASAMBI

Finishes


20 Metallic Gold

26 Black



Drawing	Mounting	Finish Body	Ordering Code
LOO_4120 	Wall light Surface mounted	Metallic Gold	LOO_4120_20W
		Black	LOO_4120_26W

6. Certifications & Standards



Warranty: 2 years

100% made in Spain

7. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.